




Atlanta Day 22x25 · 8,66x9,84"
002499 - B18

Junta mínima de 1 mm. · Minimum joint 1 mm.

Avant Atlanta Day 22x25 · 8,66x9,84"

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference




Junta mínima de 1 mm. - Minimum joint 1 mm.



Atlanta Night 22x25 · 8,66x9,84"
002500 - B18

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference

Avant Atlanta Night 22x25 · 8,66x9,84"



NEVADA




Nevada Day 22x25 · 8,66x9,84"
002501 - B18

Junta mínima de 1 mm. · Minimum joint 1 mm.

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference

Avant Nevada Day 22x25 · 8,66x9,84"




Avant



Junta mínima de 1 mm. · Minimum joint 1 mm.

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING


24 GRÁFICAS · 24 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference

Avant Nevada Night 22x25 · 8,66x9,84"



Ontario




Ontario Day 22x25 · 8,66x9,84"
002503 - B18

Junta mínima de 1 mm. · Minimum joint 1 mm.

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference

Avant Ontario Day 22x25 · 8,66x9,84"




Ontario



Junta mínima de 1 mm. · Minimum joint 1 mm.

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING


24 GRÁFICAS · 24 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference

Avant Ontario Night 22x25 · 8,66x9,84"



002537 - B1

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference

Avant Carrara 22x25 · 8,66x9,84"



Toronto




Junta mínima de 1 mm. · Minimum joint 1 mm.

Avant Toronto Gold 22x25 · 8,66x9,84"

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



Junta mínima de 1 mm. · Minimum joint 1 mm.


Toronto



Toronto Silver 22x25 · 8,66x9,84"
002648 - B18

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference

Avant Toronto Silver 22x25 · 8,66x9,84"



Toronto




Toronto Brown 22x25 · 8,66x9,84"
002646 - B18

Junta mínima de 1 mm. · Minimum joint 1 mm.

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



Toronto



Junta mínima de 1 mm. · Minimum joint 1 mm.

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES

-
-
-
-
-
-
-
-

Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference


Avant Toronto Grey 22x25 · 8,66x9,84"



Junta mínima de 1 mm. · Minimum joint 1 mm.

Avant Denia Beige 22x25 · 8,66x9,84"

DENIA



CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780


Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



Junta mínima de 1 mm. - Minimum joint 1 mm.


Avant Denia Oak 22x25 · 8,66x9,84"

AVANT DENIA



CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference




DENIA



Junta mínima de 1 mm. · Minimum joint 1 mm.

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference

Avant Denia Grey 22x25 · 8,66x9,84"



DENIA




Junta mínima de 1 mm. - Minimum joint 1 mm.

Avant Denia Graphite 22x25 · 8,66x9,84"

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

23 GRÁFICAS · 23 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



IBIZA




Junta mínima de 1 mm. · Minimum joint 1 mm.

Avant Ibiza White 22x25 · 8,66x9,84"

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



IBIZA




Ibiza Sky 22x25 · 8,66x9,84”
002565 - B18

Junta mínima de 1 mm. · Minimum joint 1 mm.

Avant Ibiza Sky 22x25 · 8,66x9,84”

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84”	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



IBIZA




Junta mínima de 1 mm. · Minimum joint 1 mm.

Avant Ibiza Grey 22x25 · 8,66x9,84"


CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



Junta mínima de 1 mm. · Minimum joint 1 mm.

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING


24 GRÁFICAS · 24 GRAPHIC FACES						
       						
Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference

Avant Ibiza Blue 22x25 · 8,66x9,84"



Menorca




Menorca Calacatta 22x25 · 8,66x9,84"
002531 - B18

Junta mínima de 1 mm. · Minimum joint 1 mm.

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780


Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference

Avant Menorca Calacatta 22x25 · 8,66x9,84"



Junta mínima de 1 mm. - Minimum joint 1 mm.


Menorca



Menorca Cotto 22x25 · 8,66x9,84"
002533 - B18

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference


Avant Menorca Cotto 22x25 · 8,66x9,84"



Junta mínima de 1 mm. - Minimum joint 1 mm.


Avant Menorca Rustico 22x25 · 8,66x9,84"

Menorca Rustico



CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



Junta mínima de 1 mm. - Minimum joint 1 mm.

Avant Menorca Clay 22x25 · 8,66x9,84"


Menorca



Menorca Clay 22x25 · 8,66x9,84"
002611 - B18

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780


Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



Junta mínima de 1 mm. - Minimum joint 1 mm.

Avant Altea White 22x25 · 8,66x9,84"

ALTEA



Altea White 22x25 · 8,66x9,84"
002538 - B18

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

23 GRÁFICAS · 23 GRAPHIC FACES


-
-
-
-
-
-
-
-

Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference




Junta mínima de 1 mm. - Minimum joint 1 mm.



CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

23 GRÁFICAS · 23 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference

Avant Altea Cotto 22x25 · 8,66x9,84"



Altea




Altea Beige 22x25 · 8,66x9,84"
002526 - B18

Junta mínima de 1 mm. · Minimum joint 1 mm.

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

23 GRÁFICAS · 23 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference

Avant Altea Beige 22x25 · 8,66x9,84"



Lancelot




Junta mínima de 1 mm. · Minimum joint 1 mm.

Avant Lancelot White 22x25 · 8,66x9,84"

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference




LANCELLOT



Junta mínima de 1 mm. · Minimum joint 1 mm.

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference

Avant Lancelot Grey 22x25 · 8,66x9,84"



LANCELLOT




Junta mínima de 1 mm. · Minimum joint 1 mm.

Avant Lancelot Brown 22x25 · 8,66x9,84"

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



LANCELLOT




Lancelot Grafito 22x25 · 8,66x9,84"
002723 - B18

Junta mínima de 1 mm. · Minimum joint 1 mm.

Avant Lancelot Grafito 22x25 · 8,66x9,84"

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference




Junta mínima de 1 mm. - Minimum joint 1 mm.



Sacramento Beige Oak 22x25 · 8,66x9,84"
002541 - B18

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780


Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



SACRAMENTO

Junta mínima de 1 mm. - Minimum joint 1 mm.


Avant Sacramento Beige Oak 22x25 · 8,66x9,84"



Sacramento Ceniza Pino 22x25 · 8,66x9,84"
002609 - B18

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference




Junta mínima de 1 mm. - Minimum joint 1 mm.




CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



SACRAMENTO

Junta mínima de 1 mm. - Minimum joint 1 mm.

Avant Sacramento Taupe Roble 22x25 · 8,66x9,84"



Sacramento Taupe Roble 22x25 · 8,66x9,84"
002580 - B18

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES														
Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet								
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780								

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



SACRAMENTO

Junta mínima de 1 mm. - Minimum joint 1 mm.




Sacramento Gris Ebano 22x25 · 8,66x9,84"
002540 - B18

Avant Sacramento Gris Ebano 22x25 · 8,66x9,84"

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



Junta mínima de 1 mm. - Minimum joint 1 mm.


Avant Sacramento Marrón Pino 22x25 · 8,66x9,84"



Sacramento Marrón Pino 22x25 · 8,66x9,84"
002542 - B18

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



Junta mínima de 1 mm. - Minimum joint 1 mm.


Avant Sacramento Beige Oak 22x25 · 8,66x9,84"



Sacramento Grafito Pino 22x25 · 8,66x9,84"
002516 - B18

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

17 GRÁFICAS · 17 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780


Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



SACRAMENTO

Junta mínima de 1 mm. - Minimum joint 1 mm.


Avant Sacramento Beige Oak 22x25 · 8,66x9,84"



Sacramento Grafito Oak 22x25 · 8,66x9,84"
002510 - B18

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

16 GRÁFICAS · 16 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



Avant Slate Cotto 22x25 · 8,66x9,84"



Junta mínima de 1 mm. · Minimum joint 1 mm.


CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES						
Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



SLATE




Junta mínima de 1 mm. - Minimum joint 1 mm.

Avant Slate Oxido 22x25 · 8,66x9,84"

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference




AVANT SLATE



Junta mínima de 1 mm. · Minimum joint 1 mm.

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780


Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference

Avant Slate Granite 22x25 · 8,66x9,84"




Junta mínima de 1 mm. - Minimum joint 1 mm.

Avant Oregon Gris Haya 22x25 · 8,66x9,84"



CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



OREGON




Oregon Haya Gris 22x25 · 8,66x9,84"
002521 - B18

Junta mínima de 1 mm. · Minimum joint 1 mm.

Avant Oregon Haya Gris 22x25 · 8,66x9,84"

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



OREGON



Oregon Gris Grafito 22x25 · 8,66x9,84”
002517 - B18

Junta mínima de 1 mm. · Minimum joint 1 mm.

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

16 GRÁFICAS · 16 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84”	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference

Avant Oregon Gris Grafito 22x25 · 8,66x9,84”



Oregon




Oregon Grafito Gris 22x25 · 8,66x9,84"
002518 - B18

Junta mínima de 1 mm. · Minimum joint 1 mm.

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

17 GRÁFICAS · 17 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference

Avant Oregon Grafito Gris 22x25 · 8,66x9,84"



Calpe




Calpe Blanco 22x25 · 8,66x9,84"
002536 - B18

Junta mínima de 1 mm. · Minimum joint 1 mm.

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780


Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference

Avant Calpe Blanco 22x25 · 8,66x9,84"




Junta mínima de 1 mm. · Minimum joint 1 mm.

Avant Calpe Gris 22x25 · 8,66x9,84"



CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference




BRISTOL



Junta mínima de 1 mm. · Minimum joint 1 mm.

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

9 GRÁFICAS · 9 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference

Avant Bristol Beige 22x25 · 8,66x9,84"

BRISTOL




Junta mínima de 1 mm. · Minimum joint 1 mm.

Avant Bristol Gris 22x25 · 8,66x9,84"

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

9 GRÁFICAS · 9 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference




OXFORD

COLORS

OXFORD



Oxford




Junta mínima de 1 mm. · Minimum joint 1 mm.

Avant Oxford 22x25 · 8,66x9,84"

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

9 GRÁFICAS · 9 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



Rockville White




Rockville White 22x25 · 8,66x9,84"
002512- B18

Junta mínima de 1 mm. · Minimum joint 1 mm.

Avant Rockville White 22x25 · 8,66x9,84"

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

15 GRÁFICAS · 15 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



ROCKVILLE




Rockville Grey 22x25 · 8,66x9,84"
002509- B18

Junta mínima de 1 mm. · Minimum joint 1 mm.

Avant Rockville Grey 22x25 · 8,66x9,84"

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

15 GRÁFICAS · 15 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



ROCKVILLE




Rockville Turquoise 22x25 · 8,66x9,84"
002511-B18

Junta mínima de 1 mm. · Minimum joint 1 mm.

Avant Rockville Turquoise 22x25 · 8,66x9,84"

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

15 GRÁFICAS · 15 GRAPHIC FACES



Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780


Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



ROCKVILLE

Junta mínima de 1 mm. - Minimum joint 1 mm.


Avant Rockville Green 22x25 · 8,66x9,84"



Rockville Green 22x25 · 8,66x9,84"
002507- B18

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

15 GRÁFICAS · 15 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



ROCKVILLE




Rockville Bordeaux 22x25 · 8,66x9,84"
002519- B18

Junta mínima de 1 mm. · Minimum joint 1 mm.

Avant Rockville Bordeaux 22x25 · 8,66x9,84"


CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

15 GRÁFICAS · 15 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference




ROCKVILLE

Junta mínima de 1 mm. - Minimum joint 1 mm.



CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

15 GRÁFICAS · 15 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference




MAGGIORE



Junta mínima de 1 mm. · Minimum joint 1 mm.

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference

Avant Maggiore Bianco 22x25 · 8,66x9,84"



Maggiore




Junta mínima de 1 mm. · Minimum joint 1 mm.

Avant Maggiore Minestrone 22x25 · 8,66x9,84"

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



Avant



Maggiore Sabbia 22x25 - 8,66x9,84"
002564-B18

Junta mínima de 1 mm. - Minimum joint 1 mm.

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING


24 GRÁFICAS · 24 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference

Avant Maggiore Sabbia 22x25 · 8,66x9,84"



Maggiore




Junta mínima de 1 mm. · Minimum joint 1 mm.

Avant Maggiore Grigio 22x25 · 8,66x9,84"

CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES




Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference



Junta mínima de 1 mm. - Minimum joint 1 mm.



CARACTERÍSTICAS TÉCNICAS Y EMBALAJE · TECHNICAL CHARACTERISTICS & PACKING

24 GRÁFICAS · 24 GRAPHIC FACES						
Formato Size	Piezas caja Tiles/box	M2/caja Sqm/box	Kg/caja Kg/box	Cajas/pallet Boxes/pallet	M2/pallet Sqm/pallet	Kg/pallet Kg/pallet
22x25 cm · 8,66x9,84"	18	0,75	13,42	57	42,75	780

Datos aproximados, confirmar cada referencia · Approximate data, confirm each reference

Avant Maggiore Nero 22x25 · 8,66x9,84"